Optics Communications 88 (1992) 570–577
North-Holland

OPTICS
COMMUNICATIONS

Author Index to Volume 88

Agnesi, A., G.C. Reali and G. Gabetta, The effect of transverse multi-mode oscillation in passively mode-locked solid-state lasers 88 (1992) 54
Almàsi, G., S. Szatmàri and P. Simon, Optimized operation of short-pulse KrF amplifiers by off-axis amplification 88 (1992) 231
Antonetti, A., see R. Benattar 88 (1992) 376
Asakura, T., see T. Okamoto 88 (1992) 17
Asano, A. and L.P. Yaroslavsky, Experimental study on the fixed points of the RANK filter 88 (1992) 199
Asano, A., K. Itoh and Y. Ichioka, Optimization of cascaded threshold logic filters for grayscale image processing 88 (1992) 485
Asobe, M., H. Itoh and K. Kubodera, Ultrafast all-optical switching in a walk-off-suppressed nonlinear fiber loop mirror switch 88 (1992) 446
Audebert, P., see R. Benattar 88 (1992) 376

Ballagh, R.J., see A.C. Wilson 88 (1992) 67
Balle, S., see I.C.M. Littler 88 (1992) 514
Balmer, G.J., D.L. Jordan, P.R. Tapster, M.J. Kent and E. Jakeman, Double passage wave propagation effects at infra-red and visible frequencies 88 (1992) 6
Barmentlo, M., see R.W.J. Hollering 88 (1992) 141
Barthelemy, A., see R. De La Fuente 88 (1992) 419
Basuray, A., see A.K. Datta 88 (1992) 87
Benattar, R., J.P. Geindre, P. Audebert, J.C. Gauthier, A. Mysyrowicz, J.P. Chambarret and A. Antonetti, Optical probing of a plasma created by a 100 femtosecond laser 88 (1992) 376
Benech, P., D.A.M. Khalil and F. Saint André, An exact simplified method for the normalization of radiation modes in planar multilayer structures 88 (1992) 96
Bergmann, K., see I.C.M. Littler 88 (1992) 514, 523
Bhandari, R., A useful generalization of the Martinelli effect 88 (1992) 1
Bhatnagar, R., see S.K. Dixit 88 (1992) 397
Blow, K.J., N.J. Doran and S.J.D. Phoenix, The soliton phase 88 (1992) 137
Bruce, N.C., A.J. Sant and J.C. Dainty, The Mueller matrix for rough surface scattering using the Kirchhoff approximation 88 (1992) 471

Calvo, M.L., P. Cheben and M. Ulibarrena, High efficiency off-axis holographic coupler 88 (1992) 22
Campbell, S., see C. Gu 88 (1992) 309
Cefalas, A.C., see M.A. Dubinskii 88 (1992) 122
Cerdeira, H., see C.L. Pando L. 88 (1992) 258
Chambarret, J.P., see R. Benattar 88 (1992) 376
Chang, R., W.J. Firth, R. Indik, J.V. Moloney and E.M. Wright, Three-dimensional simulations of degenerate counterpropagating beam instabilities in a nonlinear medium 88 (1992) 167
Château, N., D. Phalippou and P. Chavel, A method for splitting a gaussian laser beam into two coherent uniform beams 88 (1992) 33
Chavel, P., see N. Château 88 (1992) 33

Cheben, P., see M.L. Calvo 88 (1992) 22
Chen, C., see B. Wu 88 (1992) 451
Chen, C.-C., see C.-Y. Shieh 88 (1992) 47
Chen, L.-N., see X.-C. Gao 88 (1992) 63
Chen, Y.-L., see Y.-M. Hua 88 (1992) 441
Chen, Y.-X., see Y.-M. Hua 88 (1992) 441
Chen, Y.M., see X. Zhu 88 (1992) 77
Chera, I., see M. Ganciu 88 (1992) 381
Chern, J.-D., see C.-Y. Shieh 88 (1992) 47
Chevalier, R., see G. Rivoire 88 (1992) 551
Chevallier, R.C., see K.J. Heggarty 88 (1992) 91
Choi, K., S.H. Lin, E. Korevaar and C.S. Liu, A Q-switched alexandrite laser injection seeded by a rubidium absorption frequency matched diode laser 88 (1992) 385
Chou, C.-C., see C.-Y. Shieh 88 (1992) 47
Clay, K., see F. Salin 88 (1992) 151
Cormier, J.-F., see N. McCarthy 88 (1992) 403

Dainty, J.C., see N.C. Bruce 88 (1992) 471
D'Allessandro, G. and G.-L. Oppo, Gauss–Laguerre modes: a "sensible" basis for laser dynamics 88 (1992) 130
Dash, J., see P.S. Gupta 88 (1992) 273
Datta, A.K., S. Mukhopadhyay and A. Basuray, Carry-less arithmetic operation of decimal numbers by signed digit substitution and its optical implementation 88 (1992) 87
Davidson, N., A.A. Friesem and E. Hasman, Efficient formation of nondiffracting beams with uniform intensity along the propagation direction 88 (1992) 326
De La Fuente, R. and A. Barthelemy, Spatial solitons pairing by cross phase modulation 88 (1992) 419
De Lignie, M.C., D.A. van der Sijs and E.R. Eliel, White-light induced drift of Rb 88 (1992) 504
Deng, D., see B. Wu 88 (1992) 451
De Nicola, S., Canonical formalism for the (2+1)-D nonlinear Schrödinger equation 88 (1992) 157
Denz, C., see T. Rauch 88 (1992) 160
Diels, J.-C., see M. Lai 88 (1992) 319
Diplasu, C., see M. Ganciu 88 (1992) 381
Disdier, L. and G. Roosen, Nanosecond four-wave mixing in semi-insulating GaAs 88 (1992) 559
Dixit, S.K., J.K. Mittal, B. Singh, P. Saxena, H. Vora and R. Bhatnagar, Asymmetry in the characteristics of collimated and uncollimated outputs from a copper vapor laser with a confocal positive branch unstable resonator 88 (1992) 397
Doran, N.J., see K.J. Blow 88 (1992) 137
Dubietis, A., G. Jonušauskas and A. Piskarskas, Powerful femtosecond pulse generation by chirped and stretched pulse parametric amplification in BBO crystal 88 (1992) 437
Dubinskii, M.A., A.C. Cefalas and C.A. Nicolaides, Solid state $LaF_3:Nd^{3+}$ vuv laser pumped by a pulsed discharge F_2-molecular laser at 157 nm 88 (1992) 122

Egawa, Y., see T. Okamoto 88 (1992) 17
Eichler, H.J., A. Haase, K. Janiak, A. Kummrow, A. Wahi and A. Wappelt, Absorption bistability and nonlinearity in evaporated thin films 88 (1992) 298
Ekberg, M., M. Larsson, S. Hård, J. Turunen, M.R. Taghizadeh, J. Westerholm and A. Vasara, Multilevel grating array illuminators manufactured by electron-beam lithography 88 (1992) 37

Eliel, E.R., see M.C. de Lignie 88 (1992) 504

Fang, H., see T. Letardi 88 (1992) 125
Fearn, H., see M.O. Scully 88 (1992) 240
Ficek, Z., Scattered and absorption spectra of a system of atoms under squeezed vacuum excitation 88 (1992) 494
Filippo, A.A., see M.R. Perrone 88 (1992) 115
Firth, W.J., see R. Chang 88 (1992) 167
Fish, D.A., A.K. Powell and T.J. Hall, A steady state solution to four-wave mixing in the transmission geometry utilising the SU(2) group symmetry 88 (1992) 281
Friesem, A.A., see N. Davidson 88 (1992) 326
Fu, S., see T. Letardi 88 (1992) 125
Fu, X., L. Liu and Y. Yin, Tracking-novelty-filtering moiré interferometer with a self-pumped conjugator 88 (1992) 431

Gabbanini, C., see S. Gozzini 88 (1992) 341
Gabetta, G., see A. Agnesi 88 (1992) 54
Ganciu, M., A. Surmeian, C. Diplasu, I. Chera, G. Musa and I.-I. Popescu, Quasi-cw laser at 585.3 nm of the Ne I line in Ne–H_2 mixture in a simple coaxial alternating high-voltage glow discharge 88 (1992) 381
Gao, X.-C., Y.-H. Huang, Y.-Y. Weng, L.-N. Chen, J. Lu, Z.-H. Wu and J. Zhuang, Measurements of intensity-dependent absorption coefficient and transport parameter $\phi\mu\tau$ in BST 88 (1992) 63
Gauthier, J.C., see R. Benattar 88 (1992) 376
Gea-Banacloche, J., A new look at the Jaynes–Cummings model for large fields: Bloch sphere evolution and detuning effects 88 (1992) 531
Geindre, J.P., see R. Benattar 88 (1992) 376
Gerry, C.C., Bloch vector for a Raman coupled system with Stokes and anti-Stokes fields: quantum interference effects 88 (1992) 353
Gozzini, S., G. Nienhuis, E. Mariotti, G. Paffuti, C. Gabbanini and L. Moi, Wall effects on light-induced drift 88 (1992) 341
Gregory, D.A., see F.T.S. Yu 88 (1992) 81
Gu, C., J. Hong and S. Campbell, 2-D shift-invariant volume holographic correlator 88 (1992) 309
Gu, M. and C.J.R. Sheppard, Axial resolution in the fibre-optical confocal scanning microscope using annular lenses 88 (1992) 27
Gu, M., see C.J.R. Sheppard 88 (1992) 180
Guerra, E.S. and N. Zagury, Pumping statistics and dynamics of micromasers 88 (1992) 347
Gupta, P.S. and J. Dash, Quantum theory of stimulated hyper Raman scattering in an inhomogeneously broadened three-level gaseous system 88 (1992) 273
Gustafson, T.L., see L.A. Huston 88 (1992) 105

Haase, A., see H.J. Eichler 88 (1992) 298
Haelterman, M., G. Vitrant and R. Reinisch, Coupled-mode theory of optical bistability in a locally nonlinear waveguide 88 (1992) 210
Hall, T.J., see D.A. Fish 88 (1992) 281
Haneishi, H., see M. Yamaguchi 88 (1992) 191
Hård, S., see M. Ekberg 88 (1992) 37

Hasman, E., see N. Davidson 88 (1992) 326
He, X.H., see H.Y. Zhang 88 (1992) 424
Heggarty, K.J. and R.C. Chevallier, Optical implementation of an improved Hopfield-like retrieval algorithm 88 (1992) 91
Hodel, W., J. Schütz and H.P. Weber, Limits to the amplification efficiency of ultrashort fundamental solitons using Er-doped fibers 88 (1992) 173
Hollering, R.W.J. and M. Barmentlo, Symmetry analysis of vicinal(111) surfaces by optical second-harmonic generation 88 (1992) 141
Honda, T., see M. Yamaguchi 88 (1992) 191
Hong, J., see C. Gu 88 (1992) 309
Hua, Y.-M., Q. Li, Y.-L. Chen and Y.-X. Chen, Frequency upconversion in Er^{3+}- and Yb^{3+}/Er-doped silica fibers 88 (1992) 441
Huang, T.-M., see C.-Y. Shieh 88 (1992) 47
Huang, Y., Z. Luo and G. Wang, Optical transition probabilities for Er^{3+} in $KY(WO_4)_2$ crystal 88 (1992) 42
Huang, Y.-H., see X.-C. Gao 88 (1992) 63
Huston, L.A., K. Iwata, W.L. Weaver and T.L. Gustafson, Broadband picosecond transient absorption spectroscopy at MHz repetition rates 88 (1992) 105

Ichioka, Y., see A. Asano 88 (1992) 485
Iemmi, C.C. and S.A. Ledesma, All white-light process for pseudocolor encoding of depth information 88 (1992) 331
Indik, R., see R. Chang 88 (1992) 167
Ishida, Y., see T. Yanagawa 88 (1992) 371
Itoh, H., see M. Asobe 88 (1992) 446
Itoh, K., see A. Asano 88 (1992) 485
Itoh, T., see M. Yamaguchi 88 (1992) 191
Iwata, K., see L.A. Huston 88 (1992) 105

Jakeman, E., see G.J. Balmer 88 (1992) 6
Janiak, K., see H.J. Eichler 88 (1992) 298
Jeng, R.J., see X. Zhu 88 (1992) 77
Jonušauskas, G., see A. Dubietis 88 (1992) 437
Jordan, D.L., see G.J. Balmer 88 (1992) 6

Kao, Y.-H. and H.-T. Lin, A study of harmonic distortions and period doubling in DFB ridge waveguide laser with strong current modulation 88 (1992) 415
Kasai, A., see S. Wada 88 (1992) 146
Kent, M.J., see G.J. Balmer 88 (1992) 6
Khalil, D.A.M., see P. Benech 88 (1992) 96
Khromov, A.L. and M.P. Petrov, Hologram recording in GaAs through EL2 intracentre absorption 88 (1992) 315
Kim, C.M., see C.H. Kwak 88 (1992) 249
Kim, H.M., see C.H. Kwak 88 (1992) 249
Korevaar, E., see K. Choi 88 (1992) 385
Kubodera, K., see M. Asobe 88 (1992) 446
Kumar, J., see X. Zhu 88 (1992) 77

Kummrow, A., see H.J. Eichler 88 (1992) 298
Kurosawa, T., see A. Onae 88 (1992) 110
Kwak, C.H., S.Y. Park, H.M. Kim, E.-H. Lee and C.M. Kim, Dammann gratings for multispot array generation using photoinduced anisotropic materials 88 (1992) 249

Lai, M. and J.-C. Diels, Complete diagnostic of ultrashort pulses without nonlinear process 88 (1992) 319
Larsson, M., see M. Ekberg 88 (1992) 37
Lawandy, N.M., see R.L. MacDonald 88 (1992) 13
Ledesma, S.A., see C.C. Iemmi 88 (1992) 331
Lee, E.-H., see C.H. Kwak 88 (1992) 249
Letardi, T., H. Fang and S. Fu, Discharge dynamics study of self-sustained XeCl lasers 88 (1992) 125
Li, L., see X. Zhu 88 (1992) 77
Li, Q., see Y.-M. Hua 88 (1992) 441
Likin, K.M., see S.N. Vlasov 88 (1992) 455
Lin, H.-T., see Y.-H. Kao 88 (1992) 415
Lin, S.H., see K. Choi 88 (1992) 385
Littler, I.C.M., S. Balle and K. Bergmann, The cw modeless laser: spectral control, performance data and build-up dynamics 88 (1992) 514
Littler, I.C.M. and K. Bergmann, Generation of multi-frequency laser emission using an active frequency shifted feedback cavity 88 (1992) 523
Liu, C.S., see K. Choi 88 (1992) 385
Liu, L., see X. Fu 88 (1992) 431
Liu, Q., see Z.-H. Zhang 88 (1992) 73
Liu, Y. and J.R. Rios Leite, A single mode line tunable CO_2 ring laser 88 (1992) 391
Lu, J., see X.-C. Gao 88 (1992) 63
Luo, Z., see Y. Huang 88 (1992) 42

MacDonald, R.L. and N.M. Lawandy, Optical Debye effect 88 (1992) 13
Mailhot, S., see N. McCarthy 88 (1992) 403
Mandal, B.K., see X. Zhu 88 (1992) 77
Mariotti, E., see S. Gozzini 88 (1992) 341
Marron, J.C., Wavelength decorrelation of laser speckle from three-dimensional diffuse objects 88 (1992) 305
McCarthy, N., S. Mailhot and J.-F. Cormier, Noise reduction in a synchronously-pumped picosecond dye laser with a phase-conjugate mirror 88 (1992) 403
McCord, A.W., see A.C. Wilson 88 (1992) 67
Miki, Y., see A. Onae 88 (1992) 110
Mittal, J.K., see S.K. Dixit 88 (1992) 397
Moi, L., see S. Gozzini 88 (1992) 341
Moloney, J.V., see R. Chang 88 (1992) 167
Mukhopadhyay, S., see A.K. Datta 88 (1992) 87
Musa, G., see M. Ganciu 88 (1992) 381
Mysyrowicz, A., see R. Benattar 88 (1992) 376

Nakano, H., see T. Yanagawa 88 (1992) 371
Narducci, L., see M.O. Scully 88 (1992) 240
Nasreen, T. and M.S.K. Razmi, Atomic dipole squeezing in two-photon processes in the presence of Stark shift in an ideal cavity 88 (1992) 101

Neusser, H.J., see R. Sußmann 88 (1992) 408
Nicolaides, C.A., see M.A. Dubinskii 88 (1992) 122
Nienhuis, G., see S. Gozzini 88 (1992) 341

Ohyama, N., see M. Yamaguchi 88 (1992) 191
Okamoto, T., Y. Egawa and T. Asakura, Liquid crystal television applied to a speckle correlation method: real time measurement of the object displacement 88 (1992) 17
Onae, A., T. Kurosawa, Y. Miki and E. Sakuma, Unmodulated CO_2 laser stabilized by means of Stark and photoacoustic spectroscopy 88 (1992) 110
Oppo, G.-L., see G. D'Allessandro 88 (1992) 130
Osman, K.I., Population trapping in a four-level system in the presence of non-lorentzian fluctuating laser fields 88 (1992) 364

Paffuti, G., see S. Gozzini 88 (1992) 341
Pando L., C.L. and H. Cerdeira, Collective effects in an atomic layer near a phase conjugated mirror 88 (1992) 258
Park, S.Y., see C.H. Kwak 88 (1992) 249
Perrone, M.R. and A.A. Filippo, Experimental characterization of high magnification self-filtering unstable resonators for XeCl lasers 88 (1992) 115
Petersen, J.C., New infrared–infrared double resonance spectra of CH_3OH 88 (1992) 357
Petrov, M.P., see A.L. Khromov 88 (1992) 315
Phalippou, D., see N. Château 88 (1992) 33
Phoenix, S.J.D., see K.J. Blow 88 (1992) 137
Piskarskas, A., see A. Dubietis 88 (1992) 437
Popescu, I.-I., see M. Ganciu 88 (1992) 381
Powell, A.K., see D.A. Fish 88 (1992) 281

Rauch, T., C. Denz and T. Tschudi, Analysis of irregular fluctuations in a self-pumped $BaTiO_3$ phase-conjugate mirror 88 (1992) 160
Razmi, M.S.K., see T. Nasreen 88 (1992) 101
Reali, G.C., see A. Agnesi 88 (1992) 54
Reinisch, R., see M. Haelterman 88 (1992) 210
Riedle, E., see R. Sußmann 88 (1992) 408
Rios Leite, J.R., see Y. Liu 88 (1992) 391
Rivoire, G. and R. Chevalier, Production of multiple frequencies by stimulated Raman wave coupling in cyclohexane 88 (1992) 551
Roosen, G., see L. Disdier 88 (1992) 559

Saint André, F., see P. Benech 88 (1992) 96
Sakuma, E., see A. Onae 88 (1992) 110
Salin, F., J. Squier and K. Clay, Ultrafast gating using a nonlinear Sagnac interferometer 88 (1992) 151
Sameshima, T. and S. Usui, Laser beam shaping system for semiconductor processing 88 (1992) 59
Sandle, W.J., see A.C. Wilson 88 (1992) 67
Sanjay Kumar, M. and R. Simon, Characterization of Mueller matrices in polarization optics 88 (1992) 464
Sant, A.J., see N.C. Bruce 88 (1992) 471
Sasaki, Y., see T. Yanagawa 88 (1992) 371

Saxena, P., see S.K. Dixit 88 (1992) 397
Schütz, J., see W. Hodel 88 (1992) 173
Scully, M.O., S.Y. Zhu, L. Narducci and H. Fearn, Gain and threshold in noninversion lasers 88 (1992) 240
Shapiro, M.A., see S.N. Vlasov 88 (1992) 455
Sheppard, C.J.R., see M. Gu 88 (1992) 27
Sheppard, C.J.R. and M. Gu, Axial imaging through an aberrating layer of water in confocal microscopy 88 (1992) 180
Shieh, C.-Y., C.-C. Chou, C.-C. Chen, T.-M. Huang, J.-D. Chern, T.-C. Yen and J.-T. Shy, Optogalvanic Lamb-dip frequency stabilization of a sequence-band CO_2 laser using external RF discharge and heterodyne frequency measurements of sequence-band transitions 88 (1992) 47
Shih, Y.H., see H.Y. Zhang 88 (1992) 424
Shy, J.-T., see C.-Y. Shieh 88 (1992) 47
Siegman, A.E., Performance limitations of the self-filtering unstable resonator 88 (1992) 295
Simon, P., see G. Almàsi 88 (1992) 231
Simon, R., see M. Sanjay Kumar 88 (1992) 464
Singh, B., see S.K. Dixit 88 (1992) 397
Smart, S. and S. Swain, Exact rate equations for semiclassical atom–field interactions 88 (1992) 218
Squier, J., see F. Salin 88 (1992) 151
Sudarshanam, V.S., New spectrum analysis technique for interferometric vibration measurement 88 (1992) 291
Surmeian, A., see M. Ganciu 88 (1992) 381
Sußmann, R., Th. Weber, E. Riedle and H.J. Neusser, Frequency shifting of pulsed narrow-band laser light in a multipass Raman cell 88 (1992) 408
Swain, S., see S. Smart 88 (1992) 218
Szatmàri, S., see G. Almàsi 88 (1992) 231

Taghizadeh, M.R., see M. Ekberg 88 (1992) 37
Tapster, P.R., see G.J. Balmer 88 (1992) 6
Tashiro, H., see S. Wada 88 (1992) 146
Tripathy, S.K., see X. Zhu 88 (1992) 77
Tschudi, T., see T. Rauch 88 (1992) 160
Turunen, J., see M. Ekberg 88 (1992) 37

Ulibarrena, M., see M.L. Calvo 88 (1992) 22
Usui, S., see T. Sameshima 88 (1992) 59

Van der Sijs, D.A., see M.C. de Lignie 88 (1992) 504
Van Exter, M.P. and J.P. Woerdman, Is a stochastic realization shift observable with a semiconductor laser? 88 (1992) 336
Vasara, A., see M. Ekberg 88 (1992) 37
Vitrant, G., see M. Haelterman 88 (1992) 210
Vlasov, S.N., M.A. Shapiro and K.M. Likin, Geometrical optics of waveguide mode converters 88 (1992) 455
Vora, H., see S.K. Dixit 88 (1992) 397

Wada, S., A. Kasai and H. Tashiro, Temporal evolution and beam break-up of the Stokes and anti-Stokes waves in stimulated Raman scattering 88 (1992) 146
Wahi, A., see H.J. Eichler 88 (1992) 298
Wang, G., see Y. Huang 88 (1992) 42
Wappelt, A., see H.J. Eichler 88 (1992) 298
Warrington, D.M., see A.C. Wilson 88 (1992) 67
Weaver, W.L., see L.A. Huston 88 (1992) 105
Weber, H.P., see W. Hodel 88 (1992) 173
Weber, Th., see R. Sußmann 88 (1992) 408
Weng, Y.-Y., see X.-C. Gao 88 (1992) 63
Westerholm, J., see M. Ekberg 88 (1992) 37
Wilson, A.C., W.J. Sandle, D.M. Warrington, R.J. Ballagh and A.W. McCord, Observation of separated, polarised ring structures induced by nonlinear beam reshaping 88 (1992) 67
Woerdman, J.P., see M.P. van Exter 88 (1992) 336
Wright, E.M., see R. Chang 88 (1992) 167
Wu, B., F. Xie, C. Chen, D. Deng and Z. Xu, Generation of tunable coherent vacuum ultraviolet radiation in LiB_3O_5 crystal 88 (1992) 451
Wu, Z.-H., see X.-C. Gao 88 (1992) 63

Xie, F., see B. Wu 88 (1992) 451
Xu, Z., see B. Wu 88 (1992) 451

Yamaguchi, M., T. Itoh, H. Haneishi, N. Ohyama and T. Honda, Image restoration using equivalent imaging optics 88 (1992) 191
Yanagawa, T., H. Nakano, Y. Ishida and Y. Sasaki, Photodarkening mechanism in colored filter glasses 88 (1992) 371
Yang, X., see F.T.S. Yu 88 (1992) 81
Yaroslavsky, L.P., see A. Asano 88 (1992) 199
Yen, T.-C., see C.-Y. Shieh 88 (1992) 47
Yin, Y., see X. Fu 88 (1992) 431
Yu, F.T.S., X. Yang and D.A. Gregory, Polychromatic neural networks 88 (1992) 81

Zagury, N., see E.S. Guerra 88 (1992) 347
Zhang, H.-A., see Z.-H. Zhang 88 (1992) 73
Zhang, H.Y., X.H. He and Y.H. Shih, Two-wave coupling and self-pumped phase conjugation at near infrared wavelengths in $BaTiO_3$ 88 (1992) 424
Zhang, Z.-H., H.-A. Zhang and Q. Liu, Stimulated Raman scattering with a focused pump beam: discussion of gain anomaly 88 (1992) 73
Zhu, S.Y., see M.O. Scully 88 (1992) 240
Zhu, X., Y.M. Chen, L. Li, R.J. Jeng, B.K. Mandal, J. Kumar and S.K. Tripathy, Photocrosslinkable polymers with stable second order optical nonlinearity 88 (1992) 77
Zhuang, J., see X.-C. Gao 88 (1992) 63

Optics Communications 88 (1992) 578–582
North-Holland

OPTICS
COMMUNICATIONS

Subject Index to Volume 88

Propagation and transmission in homogeneous media

A useful generalization of the Martinelli effect, R. Bhandari 88 (1992) 1
Liquid crystal television applied to a speckle correlation method: real time measurement of the object displacement, T. Okamoto, Y. Egawa and T. Asakura 88 (1992) 17
New spectrum analysis technique for interferometric vibration measurement, V.S. Sudarshanan 88 (1992) 291
Performance limitations of the self-filtering unstable resonator, A.E. Siegman 88 (1992) 295
Geometrical optics of waveguide mode converters, S.N. Vlasov, M.A. Shapiro and K.M. Likin 88 (1992) 455
Characterization of Mueller matrices in polarization optics, M. Sanjay Kumar and R. Simon 88 (1992) 464
The Mueller matrix for rough surface scattering using the Kirchhoff approximation, N.C. Bruce, A.J. Sant and J.C. Dainty 88 (1992) 471

Propagation and transmission in inhomogeneous media

Double passage wave propagation effects at infra-red and visible frequencies, G.J. Balmer, D.L. Jordan, P.R. Tapster, M.J. Kent and E. Jakeman 88 (1992) 6
Optical Debye effect, R.L. MacDonald and N.M. Lawandy 88 (1992) 13

Optical information, image formation and analysis, optical computing

Liquid crystal television applied to a speckle correlation method: real time measurement of the object displacement, T. Okamoto, Y. Egawa and T. Asakura 88 (1992) 17
High efficiency off-axis holographic coupler, M.L. Calvo, P. Cheben and M. Ulibarrena 88 (1992) 22
Axial resolution in the fibre-optical confocal scanning microscope using annular lenses, M. Gu and C.J.R. Sheppard 88 (1992) 27
A method for splitting a gaussian laser beam into two coherent uniform beams, N. Château, D. Phalippou and P. Chavel 88 (1992) 33
Multilevel grating array illuminators manufactured by electron-beam lithography, M. Ekberg, M. Larsson, S. Hård, J. Turunen, M.R. Taghizadeh, J. Westerholm and A. Vasara 88 (1992) 37
Polychromatic neural networks, F.T.S. Yu, X. Yang and D.A. Gregory 88 (1992) 81
Carry-less arithmetic operation of decimal numbers by signed digit substitution and its optical implementation, A.K. Datta, S. Mukhopadhyay and A. Basuray 88 (1992) 87
Optical implementation of an improved Hopfield-like retrieval algorithm, K.J. Heggarty and R.C. Chevallier 88 (1992) 91
Axial imaging through an aberrating layer of water in confocal microscopy, C.J.R. Sheppard and M. Gu 88 (1992) 180

Image restoration using equivalent imaging optics, M. Yamaguchi, T. Itoh, H. Haneishi, N. Ohyama and T. Honda 88 (1992) 191
Experimental study on the fixed points of the RANK filter, A. Asano and L.P. Yaroslavsky 88 (1992) 199
Absorption bistability and nonlinearity in evaporated thin films, H.J. Eichler, A. Haase, K. Janiak, A. Kummrow, A. Wahi and A. Wappelt 88 (1992) 298
Wavelength decorrelation of laser speckle from three-dimensional diffuse objects, J.C. Marron 88 (1992) 305
2-D shift-invariant volume holographic correlator, C. Gu, J. Hong and S. Campbell 88 (1992) 309
Hologram recording in GaAs through EL2 intracentre absorption, A.L. Khromov and M.P. Petrov 88 (1992) 315
Complete diagnostic of ultrashort pulses without nonlinear process, M. Lai and J.-C. Diels 88 (1992) 319
Efficient formation of nondiffracting beams with uniform intensity along the propagation direction, N. Davidson, A.A. Friesem and E. Hasman 88 (1992) 326
All white-light process for pseudocolor encoding of depth information, C.C. Iemmi and S.A. Ledesma 88 (1992) 331
Optimization of cascaded threshold logic filters for grayscale image processing, A. Asano, K. Itoh and Y. Ichioka 88 (1992) 485

Optical communications

An exact simplified method for the normalization of radiation modes in planar multilayer structures, P. Benech, D.A.M. Khalil and F. Saint André 88 (1992) 96
Coupled-mode theory of optical bistability in a locally nonlinear waveguide, M. Haelterman, G. Vitrant and R. Reinisch 88 (1992) 210

Atomic and molecular physics

Atomic dipole squeezing in two-photon processes in the presence of Stark shift in an ideal cavity, T. Nasreen and M.S.K. Razmi 88 (1992) 101
Exact rate equations for semiclassical atom–field interactions, S. Smart and S. Swain 88 (1992) 218
Is a stochastic realization shift observable with a semiconductor laser?, M.P. van Exter and J.P. Woerdman 88 (1992) 336
Wall effects on light-induced drift, S. Gozzini, G. Nienhuis, E. Mariotti, G. Paffuti, C. Gabbanini and L. Moi 88 (1992) 341
Pumping statistics and dynamics of micromasers, E.S. Guerra and N. Zagury 88 (1992) 347
Bloch vector for a Raman coupled system with Stokes and anti-Stokes fields: quantum interference effects, C.C. Gerry 88 (1992) 353
New infrared–infrared double resonance spectra of CH_3OH, J.C. Petersen 88 (1992) 357
Population trapping in a four-level system in the presence of non-lorentzian fluctuating laser fields, K.I. Osman 88 (1992) 364
Scattered and absorption spectra of a system of atoms under squeezed vacuum excitation, Z. Ficek 88 (1992) 494
White-light induced drift of Rb, M.C. de Lignie, D.A. van der Sijs and E.R. Eliel 88 (1992) 504

Condensed matter

Optical transition probabilities for Er^{3+} in $KY(WO_4)_2$ crystal, Y. Huang, Z. Luo and G. Wang 88 (1992) 42

Measurements of intensity-dependent absorption coefficient and transport parameter $\phi\mu\tau$ in BST, X.-C. Gao, Y.-H. Huang, Y.-Y. Weng, L.-N. Chen, J. Lu, Z.-H. Wu and J. Zhuang 88 (1992) 63
Broadband picosecond transient absorption spectroscopy at MHz repetition rates, L.A. Huston, K. Iwata, W.L. Weaver and T.L. Gustafson 88 (1992) 105
Photodarkening mechanism in colored filter glasses, T. Yanagawa, H. Nakano, Y. Ishida and Y. Sasaki 88 (1992) 371

Plasmas

Optical probing of a plasma created by a 100 femtosecond laser, R. Benattar, J.P. Geindre, P. Audebert, J.C. Gauthier, A. Mysyrowicz, J.P. Chambarret and A. Antonetti 88 (1992) 376

Lasers

Optogalvanic Lamb-dip frequency stabilization of a sequence-band CO_2 laser using external RF discharge and heterodyne frequency measurements of sequence-band transitions, C.-Y. Shieh, C.-C. Chou, C.-C. Chen, T.-M. Huang, J.-D. Chern, T.-C. Yen and J.-T. Shy 88 (1992) 47
The effect of transverse multi-mode oscillation in passively mode-locked solid-state lasers, A. Agnesi, G.C. Reali and G. Gabetta 88 (1992) 54
Laser beam shaping system for semiconductor processing, T. Sameshima and S. Usui 88 (1992) 59
Unmodulated CO_2 laser stabilized by means of Stark and photoacoustic spectroscopy, A. Onae, T. Kurosawa, Y. Miki and E. Sakuma 88 (1992) 110
Experimental characterization of high magnification self-filtering unstable resonators for XeCl lasers, M.R. Perrone and A.A. Filippo 88 (1992) 115
Solid state $LaF_3:Nd^{3+}$ vuv laser pumped by a pulsed discharge F_2-molecular laser at 157 nm, M.A. Dubinskii, A.C. Cefalas and C.A. Nicolaides 88 (1992) 122
Discharge dynamics study of self-sustained XeCl lasers, T. Letardi, H. Fang and S. Fu 88 (1992) 125
Gauss–Laguerre modes: a "sensible" basis for laser dynamics, G. D'Allessandro and G.-L. Oppo 88 (1992) 130
Optimized operation of short-pulse KrF amplifiers by off-axis amplification, G. Almàsi, S. Szatmàri and P. Simon 88 (1992) 231
Gain and threshold in noninversion lasers, M.O. Scully, S.Y. Zhu, L. Narducci and H. Fearn 88 (1992) 240
Population trapping in a four-level system in the presence of non-lorentzian fluctuating laser fields, K.I. Osman 88 (1992) 364
Quasi-cw laser at 585.3 nm of the Ne I line in Ne–H_2 mixture in a simple coaxial alternating high-voltage glow discharge, M. Ganciu, A. Surmeian, C. Diplasu, I. Chera, G. Musa and I.-I. Popescu 88 (1992) 381
A *Q*-switched alexandrite laser injection seeded by a rubidium absorption frequency matched diode laser, K. Choi, S.H. Lin, E. Korevaar and C.S. Liu 88 (1992) 385
A single mode line tunable CO_2 ring laser, Y. Liu and J.R. Rios Leite 88 (1992) 391
Asymmetry in the characteristics of collimated and uncollimated outputs from a copper vapor laser with a confocal positive branch unstable resonator, S.K. Dixit, J.K. Mittal, B. Singh, P. Saxena, H. Vora and R. Bhatnagar 88 (1992) 397
Noise reduction in a synchronously-pumped picosecond dye laser with a phase-conjugate mirror, N. McCarthy, S. Mailhot and J.-F. Cormier 88 (1992) 403

Generation of tunable coherent vacuum ultraviolet radiation in LiB_3O_5 crystal, B. Wu, F. Xie, C. Chen, D. Deng and Z. Xu 88 (1992) 451
The cw modeless laser: spectral control, performance data and build-up dynamics, I.C.M. Littler, S. Balle and K. Bergmann 88 (1992) 514
Generation of multi-frequency laser emission using an active frequency shifted feedback cavity, I.C.M. Littler and K. Bergmann 88 (1992) 523
A new look at the Jaynes–Cummings model for large fields: Bloch sphere evolution and detuning effects, J. Gea-Banacloche 88 (1992) 531

Nonlinear optics

Measurements of intensity-dependent absorption coefficient and transport parameter $\phi\mu\tau$ in BST, X.-C. Gao, Y.-H. Huang, Y.-Y. Weng, L.-N. Chen, J. Lu, Z.-H. Wu and J. Zhuang 88 (1992) 63
Observation of separated, polarised ring structures induced by nonlinear beam reshaping, A.C. Wilson, W.J. Sandle, D.M. Warrington, R.J. Ballagh and A.W. McCord 88 (1992) 67
Stimulated Raman scattering with a focused pump beam: discussion of gain anomaly, Z.-H. Zhang, H.-A. Zhang and Q. Liu 88 (1992) 73
Photocrosslinkable polymers with stable second order optical nonlinearity, X. Zhu, Y.M. Chen, L. Li, R.J. Jeng, B.K. Mandal, J. Kumar and S.K. Tripathy 88 (1992) 77
Atomic dipole squeezing in two-photon processes in the presence of Stark shift in an ideal cavity, T. Nasreen and M.S.K. Razmi 88 (1992) 101
The soliton phase, K.J. Blow, N.J. Doran and S.J.D. Phoenix 88 (1992) 137
Symmetry analysis of vicinal(111) surfaces by optical second-harmonic generation, R.W.J. Hollering and M. Barmentlo 88 (1992) 141
Temporal evolution and beam break-up of the Stokes and anti-Stokes waves in stimulated Raman scattering, S. Wada, A. Kasai and H. Tashiro 88 (1992) 146
Ultrafast gating using a nonlinear Sagnac interferometer, F. Salin, J. Squier and K. Clay 88 (1992) 151
Canonical formalism for the (2+1)-D nonlinear Schrödinger equation, S. De Nicola 88 (1992) 157
Analysis of irregular fluctuations in a self-pumped $BaTiO_3$ phase-conjugate mirror, T. Rauch, C. Denz and T. Tschudi 88 (1992) 160
Three-dimensional simulations of degenerate counterpropagating beam instabilities in a nonlinear medium, R. Chang, W.J. Firth, R. Indik, J.V. Moloney and E.M. Wright 88 (1992) 167
Limits to the amplification efficiency of ultrashort fundamental solitons using Er-doped fibers, W. Hodel, J. Schütz and H.P. Weber 88 (1992) 173
Coupled-mode theory of optical bistability in a locally nonlinear waveguide, M. Haelterman, G. Vitrant and R. Reinisch 88 (1992) 210
Exact rate equations for semiclassical atom–field interactions, S. Smart and S. Swain 88 (1992) 218
Dammann gratings for multispot array generation using photoinduced anisotropic materials, C.H. Kwak, S.Y. Park, H.M. Kim, E.-H. Lee and C.M. Kim 88 (1992) 249
Collective effects in an atomic layer near a phase conjugated mirror, C.L. Pando L. and H. Cerdeira 88 (1992) 258
Quantum theory of stimulated hyper Raman scattering in an inhomogeneously broadened three-level gaseous system, P.S. Gupta and J. Dash 88 (1992) 273
A steady state solution to four-wave mixing in the transmission geometry utilising the SU(2) group symmetry, D.A. Fish, A.K. Powell and T.J. Hall 88 (1992) 281
Frequency shifting of pulsed narrow-band laser light in a multipass Raman cell, R. Sußmann, Th. Weber, E. Riedle and H.J. Neusser 88 (1992) 408

A study of harmonic distortions and period doubling in DFB ridge waveguide laser with strong current modulation, Y.-H. Kao and H.-T. Lin 88 (1992) 415
Spatial solitons pairing by cross phase modulation, R. De La Fuente and A. Barthelemy 88 (1992) 419
Two-wave coupling and self-pumped phase conjugation at near infrared wavelengths in $BaTiO_3$, H.Y. Zhang, X.H. He and Y.H. Shih 88 (1992) 424
Tracking-novelty-filtering moiré interferometer with a self-pumped conjugator, X. Fu, L. Liu and Y. Yin 88 (1992) 431
Powerful femtosecond pulse generation by chirped and stretched pulse parametric amplification in BBO crystal, A. Dubietis, G. Jonušauskas and A. Piskarskas 88 (1992) 437
Frequency upconversion in Er^{3+}- and Yb^{3+}/Er-doped silica fibers, Y.-M. Hua, Q. Li, Y.-L. Chen and Y.-X. Chen 88 (1992) 441
Ultrafast all-optical switching in a walk-off-suppressed nonlinear fiber loop mirror switch, M. Asobe, H. Itoh and K. Kubodera 88 (1992) 446
Generation of tunable coherent vacuum ultraviolet radiation in LiB_3O_5 crystal, B. Wu, F. Xie, C. Chen, D. Deng and Z. Xu 88 (1992) 451
Production of multiple frequencies by stimulated Raman wave coupling in cyclohexane, G. Rivoire and R. Chevalier 88 (1992) 551
Nanosecond four-wave mixing in semi-insulating GaAs, L. Disdier and G. Roosen 88 (1992) 559